Evidence Based Practice Education of Early Breast Pumping and Hand Expression during Immediate Postpartum Period

INTRODUCTION/PROBLEM

 Lower than ideal rates for early pumping initiation

AIM/GOAL

- Improve rates of pumping in the 1st six hours postpartum
- Increase nursing confidence in related pt education

THE TEAM


Jessica Ahlemeyer, Kailey Carlyle, Janet Guarino, Tricia Young Higgins, Kerri Stiehl

INTERVENTIONS

- Assess nurses' baseline comfort and perceptions
- Educate nurses through 45 minute module
- Secondary survey to assess effectiveness interventions

RESULTS/PROGRESS TO DATE

Preliminary survey of 75 L&D nurses




RESULTS/PROGRESS TO DATE CONTINUED

Nurses who self identify as initiating pumping in 6 hour goal



Nurse documentation frequency



- Education Provided to approximately 95% of unit nurses
- Secondary assessment of effectiveness of education
 - In progress

LESSONS LEARNED

- Time necessary for unit based quality improvement projects
- OB competencies occur once per year so opportunity to fill the gap for ongoing education throughout the year

NEXT STEPS

- Review results from second survey
- Pull data of rates from before and after educational module
- Publish findings on rates of pumping and hand expression related to nurse confidence