Creating a Medication Knowledge Assessment Test

The Problem

The Medication Assessment Test used to assess basic medication knowledge of new-hire RNs was outdated and did not reflect current practice. Additionally, the way the test was applied lacked consistency between units.

Aims/Goals

- Develop a medication assessment test using evidence and best practice models. The test should include:
 - Questions that reflect organizational priorities
 - Questions that have been suggested by staff, Unit Based Educators, Clinical Nurse Specialists, and Nurse Managers based on lived experiences
- Develop a medication assessment test that has been tested by endusers and vetted through representatives of the various clinical specialties and job roles in Nursing
- Develop a standardized approach to delivering the test
- Develop a standardized approach to remediation


The Team

- John Whitlock, RN, MS; Clinical Nurse Specialist, Cardiac Surgery & Invasive Cardiology
- Bridgid Joseph, RN, MS; Clinical Nurse Specilist, Emergency Cardiac Care
- Jennifer Barsamian, RN, MS; Clinical Nurse Specialist, 12 Reismann
 & 5 Stoneman
- Marnie Chaves, RN; Unit Based Educator, Farr 6
- Kathy Baker, RN, MS; Clinical Nurse Specialist, 11 Reismann & Feldberg 7
- ➤ Kim Campbell, RN, MS; *Unit Based Educator, Farr* 7
- Tracey Pollard, RN; Unit Based Educator, Labor and Delivery
- Linda Denekemp, RN, MS; Nurse Manager, Farr 5 & VICU
- Christine Kristeller, RN, MS; Clinical Nurse Specialist, Farr 11 & CC7

The Steps Taken for Practice Change

- A nursing group met monthly for 6 months to review test and decide if any questions remained current
- A review of the literature revealed there was no consistent standard for assessing medication knowledge of new-hire RNs
- The UBE group was asked to provide question recommendations based on their lived experiences
- A 25-question Medication Knowledge Assessment Test was developed, tested using Survey Monkey, and revised based on feedback

Q20 Your patient is receiving Vancomycin 750 mg IV every 12 hours and trough levels are ordered with her 8AM dose. Ideally, the Vanco level should be drawn at:



Progress to Date

The revised Medication Knowledge Assessment Test was implemented Summer 2013 and entered into myPATH Fall 2013

Next Steps/What Should Happen Next

- Monitor pass/fail rate using myPATH Learning Management System to determine if further changes need to be made
- Monitor compliance of test application for new-hire RN using myPATH Learning Management System



